
professional treatment solutions turning your water into benefit





with our quality, we are everywhere there is water



Our company, which has been serving in the treatment sector since 1989, has entered into a joint investment with Aquamatch Inc. in 1996 and started designing and producing in Turkey. Since 2003, it has been an engineering and treatment company with 100% Turkish capital.

Our company has become one of the world's leading companies of water and wastewater treatment sector by signing big references and projects in 4 continental and more than 50 countries.

Professional treatment solutions Turning your water into benefit

- 9000 m² indoor production facilites in Aydın
- Installation of mega desalination and wastewater recovery facilites
- Over 20 years of deep knowledge and manufacturing experience in membrane technologies
- Sales and technical services with 16 dealers in 10 different cities
- Installation and operation of turnkey water & waterwater treatment systems at home and abroad
- Engineering, design, manufacturing, sales and after sales services staff of about 300 people together with our dealers





DENİZ SU CHESS YOUTH AND SPORTS CLUB ASSOSIATION 2016 Türkiye İş Bankası Chess League 2nd.



Gümbet Waste Water (Sewage) Treatment Plant Bodrum/Muğla

Capacity:

10.000 m³/day 60.000 People Capacity Biological Waste Water Treatment Plant

Gümüşlük Waste Water (Sewage) Treatment Plant Bodrum/Muğla

Capacity:

2000 m³/day

10.000 People Capacity Biological Waste Water Treatment Plant

Odor Treatment: It has been designed to remove odors that occure at aeration, settling and sludge thickening tanks.





Habom Grey Water Treatment System / İstanbul

Capacity:

100 m³/day MBR System, Dry Type

Özyeğin University Grey Water Treatment System / İstanbul

Capacity:

60 m³/day Graded Filtration + UF System



→ Package Domestic Wastewater Treatment Systems

Package Wastewater (Sewage) Treatment Plants are used to treat the domestic wastewater. Units are manufactured from carbon steel material or can be done as concrete (by client) where the mechanical & electrical equipments are supplied by us.

General Features

- Epoxy Coated Carbon Steel Tanks
- Mechanical Equipments for Concrete Plants
- Basket Screen
- Blower & Diffusers
- Weirs & Sludge Return Pump
- Chlorine Dosing System
- PLC Control Panel




MODEL	Person	Organic Load kg BOD5/day	Capacity m³/day	Aeration Tank m ³	
BT 6	100	6	20	17	
BT 12	200	12	40	35	
BT 24	400	24	80	69	
BT 36	600	36	120	92	
BT 45	750	45	210	182	

*BT Series: Concrete Tanks

	I .	ı	ı	I
ST 3	50	3	15	12
ST 6	100	6	20	17
ST 15	250	15	45	35
ST 24	400	24	70	52
ST 27	450	27	80	57

^{*}ST Series: Epoxy Coated Carbon Steel Tanks



4

→ Membrane Bioreactor (MBR) Systems

Membrane Bioreactor Systems are used for high removal of physical & organic pollutants from wastewater to obtain reusable water for plants where recycling is done.

MBR Systems are biochemical oxidation processes which are used to seperate clean water and biomass physically with membrane barrier.

MBR Systems are applied in two different ways; as Submerged type and Side Stream type.

General Features

- Alum Dosing Unit & Rotating Disc Screen
- Blower & Diffusers
- System Feed Pump
- Submerged Type or Side Stream Type MBR Modules
- Product Water & Backwash & CEB Pumps
- Excess Sludge & Sludge Return Pumps
- Chlorine & Acid Dosing Units
- PLC Control Panel





MODEL	Capacity	Module Quantity	Module Area	Flux		
MODEL	m³/day	m/h	m²	lmh		
MBR B 60	60	5	125	28		
MBR B 170	170	10	250	28		
*B Series: Submerged Type						
MBR K 30	30	1	33	38		
MBR K 60	60	2	66	38		
MBR K 120	120	4	132	38		
MBR K 170	170	6	198	38		

^{*}K Series: Skid Mounted, Side Stream Type

Membrane Bioreactor Systems

- Good quality treated water is achieved, thus the treated wastewater can be recycled or reused.
- Turbidity: < 1 NTU
- Biological Contamination: None
- The system can be operated with high MLSS concentration (8-30 g/lt). Therefore, smaller aeration tank is needed.
- Sludge formation is less.
- Settling tank is not required.
- Due to wastewater recycling, the sustainability of natural resources are provided.



→ Grey Water Treatment Systems

Grey water, which is consist of showers, bathtubs and sinks, does not contain domestic or industrial wastewater Grey water is 80 % of domestic wastewater. By treatment of grey water, clean water for nondrinking applications is achieved.

Recycled Water Obtain Grey Water Treatment Systems; become usable in hotels, villas, factories, airports, green buildings for industrial, agricultural and domestic purposes; and can be used to meet the water needs of many areas such as;

- Toilet Reservoirs
- Irrigation
- Ponds
- Car Wash
- · Feeding Fire Plumbing
- Feeding Cooling Tower

→ UF Series

With UF series, organic matter content of grey water is reduced, clear and hygienic water is obtained. UF series systems are preferred for easy and clean operation, smaller area requirements, easy intervention in case of problems, easy installation opportunities. Standard design capacities are 10, 20 and 40 m³/day in UF series grey water treatment systems.



Screen Filter	Pre Disinfection		Filtration		Adsorption		Ultrafiltration	Post Disinfection	
		, ,		/		1			

→ Submerged Type MBR SERIES

Submerged MBR Systems are the technology that combines aerobic biological treatment and membrane filtration to provide water with high treatment efficiency. MBR units are compact and mobile construction systems that are immersed in a tank of submerged MBR membranes. Standard design capacities are 5, 10, 20, 40, 60 and 80 m³/day in Submerged series grey water treatment systems.



	Biological Treatment	 Submerged MBR	\vdash	Disinfection
1				

ightarrow Side Stream Type MBR SERIES

MBR Systems are called "SideStream". When this system is used, there is no need for a sedimentation tank or a membrane tank. Moreover, it is easy to intervene the system in case of any failure due to the its skid.

Standard design capacities are 30, 45 and 60 m³/day in Sidestream series grey water treatment systems.





6

Dealers

ACT İÇ ve DIŞ TİC. LTD. ŞTİ / Dolapdere, İstanbul melih@aquaproject.com • 0090 212 0 212 237 77 45-48 • 256 87 36

AKAR İLERİ ARITIM TEKNOLOJİSİ İNŞ. SAN. ve TİC. A.Ş. / İzmit info@akararitim.com • 0090 262 311 78 93-94

AYDIN TEKNİK ARITMA SAN. TİC. LTD. ŞTİ. / Halkalı, İstanbul aydinteknik@superonline.com • 0090 212 693 56 01 • 693 79 33

BCT İÇ ve DIŞ TİC. LTD. ŞTİ. / Bursa serap@aquaproject.net • 0090 224 211 50 62-211 46 22 • 211 42 63

DENSER SU ve ATIKSU ARITIM SERVİS İMALAT İNŞ. ve TAAHHÜT A.Ş. / Ankara info@densersuaritma.com • 0090 312 495 65 33 • 495 65 34

DORUK TEKNOLOJÍK SU ve ATIKSU ARITIM SAN. ve TÍC. İTH. İHR. LTD . ŞTİ. / Antalya info@dorukteknolojik.com • 0090 242 317 10 91-92 • 317 10 93

DURU TEKNOLOJÍK SU ve ATIKSU ARITIM SAN. ve TÍC. İTH. İHR. LTD. ŞTİ. / Adana info@duruteknolojik.com • 0090 322 234 76 45-46 • 234 76 90

EKONSU TEKNOLOJİK MEMBRAN SİSTEMLERİ A.Ş. / Bodrum info@ekonsu.com • 0090 252 363 95 80-90-91 • 363 95 07

EKONSU TEKNOLOJÍK MEMBRAN SÍSTEMLERÍ A.Ş. / İzmir info@ekonsu.com • 0090 232 329 28 88 - 329 22 65 - 329 12 52 • 329 10 04

IŞIK TEKNOLOJİK TESİSAT SİS. TİC. A.Ş. / Ataşehir, İstanbul isik@isikteknoloji.com • 0090 216 580 93 50-58

MAVİ TEKNOLOJİK MEMBRAN ve ARITMA SİSTEMLERİ A.Ş. / Çorlu tan@mavias.com • 0090 282 650 24 81-97

NATUREL SU ARITMA TEK. İNŞ. SAN. ve TİC. LTD. ŞTİ. / Ataşehir, info@naturelsu.com • 0090 216 455 71 93• 455 47 18

NATUREL SU ARITMA TEK. İNŞ. SAN. ve TİC. LTD. ŞTİ. / Ankara info@naturelsu.com • 0090 312 448 20 17-18 • 448 20 19

ÖZSU TEKNİK SERVİS ve TESİSAT / Ümraniye, İstanbul zuhtuusta@ozsuteknik.com • 0090 216 631 92 39 • 631 92 27

SİBA İTHALAT ve İHRACAT LTD. ŞTİ. / Kıbrıs info@sibaltd.com • 0090 392 822 40 68-69

TEKTES TEKNOLOJÍK TESÍSAT SÍSTEMLERÍ SAN. ve TÍC. A.Ş. / Ankara tektes@tektes.com • 0090 312 441 73 81-95





Head Office

Factory

Aquamatch Partner in Ukraine

İstanbul Dünya Ticaret Merkezi A2 Blok Kat 15 Ofis No: 445

Cadde 1000 No: 11 Yeşilköy, Bakırköy, İstanbul, Türkiye Ortaklar, Germencik, Aydın, Türkiye

: 0090 0212 886 31 63 : 0090 0212 886 90 16 e-posta: denizsu@denizsu.com

: 0090 0256 577 11 33 : 0090 0256 577 11 34 e-posta: fabrika@denizsu.com

Ortaklar Organize Sanayi Bölgesi











